



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/548,082

05/03/2006

Hirokazu Koizumi

Q90091

7605

23373

7590

08/31/2010

SUGHRUE MION, PLLC

2100 PENNSYLVANIA AVENUE, N.W.

SUITE 800

WASHINGTON, DC 20037

EXAMINER

SONG, DAEHO D

ART UNIT

PAPER NUMBER

2175

NOTIFICATION DATE

DELIVERY MODE

08/31/2010

ELECTRONIC

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

sughrue@sughrue.com

PPROCESSING@SUGHRUE.COM

USPTO@SUGHRUE.COM

<b>Office Action Summary</b>	<b>Application No.</b> 10/548,082	<b>Applicant(s)</b> KOIZUMI ET AL.	
	<b>Examiner</b> DAEHO D. SONG	<b>Art Unit</b> 2175	

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --**

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 11 May 2010.
- 2a) ☐ This action is **FINAL**.                      2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-31 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-31 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |   |   |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)         | 4) <input type="checkbox"/> Interview Summary (PTO-413)           |
| 2) <input type="checkbox"/> Notice of Draftperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____                                      |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)         | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____   | 6) <input type="checkbox"/> Other: _____                          |

***Applicant's Response***

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 05/11/2010 has been entered.

In Applicant's Response to RCE dated 05/11/2010, Applicant amended Claims 1-3, 10-11, 18 and 19, and argued against all rejections previously set forth in the Office Action dated 12/30/2009.

***Claim Rejections - 35 USC § 103***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

1. Claims 1-31 are rejected under 35 U.S.C. 103(a) as being unpatentable over Holtz et al. (hereinafter Holtz): U.S. Patent Application Pub. No. 2002/0109710 in view of Martin et al. (hereinafter Martin): U.S. Patent Application Pub. No. 2003/0143944.

Holtz expressly teaches:

*Claim 1. A scroll display control device including a computer readable medium which stores a program for causing a computer to execute scroll-displaying, in synchronism with reproduction of series information correlated to text information, the corresponding text information on a text display screen, said scroll display control device comprising: means which changes a scroll speed in said text display screen on the basis of a text quantity of said corresponding text information with respect to reproduction time of said series information ([0136]: changing a scroll speed in a text display screen according to the number of words per unit of reproduction time, i.e. text quantity per reproduction time),*

*wherein the display area of said text is fixed at a predetermined reference position of the text display screen (figs. 23A-B: display area of text is fixed at a predetermined position of the text display screen, such as the “read from” carats <2302>),*

*wherein a scroll speed calculation means calculates said scroll speed of the text on the basis of a quantity of the text belonging to a text section corresponding to said series information section, and text display setting information (figs. 6, 21, 22; [0132]-[0136] [0265]-[0271]: calculating the scroll speed of the text according to an amount/quantity of text information per unit of time of selected script being reproduced, and text display setting utilizing Script edit window of fig. 21, such as font size).*

Art Unit: 2175

Holtz fails to disclose:

*a scroll speed calculation means calculates said scroll speed of the text on the basis of a time length of a series information section being reproduced.*

Martin expressly teaches:

*a scroll speed calculation means calculates said scroll speed of the text on the basis of a time length of a series information section being reproduced ([0048]: determining scroll rate on the basis of the total time required for the line of text being reproduced).*

Accordingly, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the system, disclosed in Holtz, to include:

*a scroll speed calculation means calculates said scroll speed of the text on the basis of a time length of a series information section being reproduced, for the purpose of providing the display of information in a manner of synchronization for maximum effectiveness to the viewers, as taught in Martin [0004].*

Holtz further teaches:

*Claim 2: A scroll display control device including a computer readable medium which stores a program for causing a computer to execute scroll-displaying, in synchronism with reproduction of series information correlated to text information, the corresponding text information on a text display screen, said scroll display control device comprising:*

Art Unit: 2175

*scroll speed calculation means which calculates a scroll speed on the basis of a quantity of the text belonging to a text section corresponding to the series information section during reproduction and text display setting information (figs. 6, 21, 22; [0132]-[0136] [0265]-[0271]: calculating the scroll speed of the text according to an amount/quantity of text information per unit of time of selected script being reproduced, and text display setting utilizing Script edit window of fig. 21, such as font size); and control means which scroll-displays the text belonging to the text section at a predetermined reference position of said text display screen according to said scroll speed (figs. 23A-B: display area of text is fixed at a predetermined position of the text display screen, such as the “read from” carats <2302>).*

Holtz in view of Martin expressly teaches:

*scroll speed calculation means which calculates a scroll speed on the basis of at least a time length of a series information section presently under reproduction ([0048]: determining scroll rate on the basis of the total time required for the line of text being reproduced).*

Holtz further teaches:

*Claim 3. The scroll display control device according to claim 2, further comprising a text display setting information memory which variably stores the text display setting information of the text displayed on said text display screen (figs. 1, 21; [0263]-[0268]).*

Art Unit: 2175

*Claim 4. The scroll display control device according to claim 3, wherein said text display setting information memory variably stores a plurality of scroll methods and said control means scroll-displays the text according to the selected scroll method (figs. 22, 23A-B, 24; [0273]-[0283]).*

*Claim 5. The scroll display control device according to Claim 3, wherein said text display setting information memory variably stores a predetermined reference position of said text display screen (figs. 23A-B; [0278]-[0283]).*

*Claim 6. The scroll display control device according to claim 3, further comprising user instruction input means for dynamically changing the text display setting information (fig. 21; [0265]-[0270]).*

*Claim 7. The scroll display control device according to Claim 2 or Claim 5, wherein text of a preceding text section which precedes the text section and text of a succeeding text section which succeeds the text section are respectively displayed in two adjacent areas across the text section displayed at the reference position (figs. 23A-B).*

*Claim 8. The scroll display control device according to claim 2, further comprising a storage means which searchably stores the series information and the text information ([0036][0126][0131][0226]).*

Art Unit: 2175

*Claim 9: The scroll display control device according to claim 2, wherein the series information and the text information corresponding thereto is acquired by accessing a server which provides the series information and the text information (fig. 1; [0087]-[0088]).*

*Claim 10. A scroll display control method comprising:*  
*displaying text information corresponding to sound in a scroll manner, such that the text information is displayed in synchronism with reproduction of the sound by changing a scroll speed adaptable to the sound during reproduction (figs. 15 & 20-24; [0199]-[0212] [0262]-[0283]: displaying text information corresponding to sound of talent's reading the script in synchronism with reproduction of the sound by changing a scroll rate adaptable to the sound during replay utilizing the speed button),*  
*wherein the display area of said text information is fixed at a predetermined reference position of a text display screen (figs. 23A-B: display area of text is fixed at a predetermined position of the text display screen, such as the "read from" carats <2302>), and*  
*a scroll speed calculation means calculates said scroll speed of the text on the basis of a quantity of the text belonging to a text section corresponding to said sound information section, and text display setting information (figs. 6, 21, 22; [0132]-[0136] [0265]-[0271]: calculating the scroll speed of the text according to an amount/quantity of text*



Art Unit: 2175

information per unit of time of selected script being read, and text display setting utilizing Script edit window of fig. 21, such as font size).

Holtz in view of Martin expressly teaches:

*a scroll speed calculation means calculates said scroll speed of the text on the basis of a time length of a sound information section being reproduced ([0048]: determining scroll rate on the basis of the total time required to audibly broadcast each line).*

*Claim 11. A scroll display control method comprising:*

*displaying text information corresponding to a picture in synchronism with reproduction of the picture in a scrolling manner, and performing scroll display of said text information in synchronism with the reproduction of the picture information by changing a scroll speed adaptable to the picture under reproduction (figs. 7, 15 & 20-24; [0139]-[0144]*

*[0199]-[0212] [0262]-[0283]: displaying text information corresponding to a video image in synchronism with reproduction of the video image, and performing scroll display of text information in synchronism with the replay of the video image information by changing a scroll rate adaptable to the video image during replay utilizing the character generator and the speed button),*

*wherein the display area of said text information is fixed at a predetermined reference position of a text display screen (figs. 23A-B: display area of text is fixed at a predetermined position of the text display screen, such as the "read from" carats <2302>), and*

Art Unit: 2175

*a scroll speed calculation means calculates said scroll speed of the text on the basis of a quantity of the text belonging to a text section corresponding to said picture information section, and text display setting information (figs. 6, 21, 22; [0132]-[0136] [0265]-[0271]: calculating the scroll speed of the text according to an amount/quantity of text information per unit of time of selected script being read, and text display setting utilizing Script edit window of fig. 21, such as font size).*

Holtz in view of Martin expressly teaches:

*a scroll speed calculation means calculates said scroll speed of the text on the basis of a time length of a picture information section being reproduced ([0009][0048]: determining scroll rate on the basis of the total time required to broadcast each line using video picture images).*

*Claim 12. The scroll display control method according to claim 11, wherein the text information to be displayed is text information belonging to a text section corresponding to the picture during reproduction and to preceding and succeeding text sections thereof (figs. 15 & 16; [0199]-[0224]).*

*Claim 13. The scroll display control method according to claim 11,*

Holtz in view of Martin expressly teaches:

Art Unit: 2175

*wherein when a text section corresponding to a picture reproduction position is changed, said scroll speed is derived on the basis of a time length of a picture section corresponding to the picture reproduction position ([0009][0048]) and*

Holtz further teaches:

*a text quantity of the text section corresponding to the picture reproduction position (figs. 15, 16, 22; [0132]-[0136]).*

*Claim 14. The scroll display control method according to claim 11 or claim 13, further including changing a text display setting of the text to be synchronously displayed with reproduction of the picture, and wherein, when the display setting of the text is changed, said scroll speed is derived on the basis of the changed display setting of the text (figs. 15, 21, 22 & 23A-B; [0132]-[0142] [0265]-[0283]).*

*Claim 15. The scroll display control method according to claim 14, wherein reproduction of the picture is one of still picture reproduction, n-time reproduction, n-time rewind reproduction, and slow reproduction, where n is an integer equal to or greater than 1 (figs. 5, 6, 7).*

*Claim 16. The scroll display control method according to claim 15, wherein a number of characters displayed in the text section is increased by automatically changing the text display setting when reproduction of the picture is either fast-forward reproduction of at*

Art Unit: 2175

*least two-time fast-forward reproduction or rewind reproduction (figs. 21-22).*

*Claim 17. The scroll display control method according to claim 15, wherein a number of characters displayed in a text section succeeding the text section corresponding to the picture under reproduction is increased by automatically changing the text display setting when reproduction of the picture is slow reproduction (figs. 21-22, 23A-B; [0270]-[0283]).*

*Claims 18 and 19:*

The subject matter recited in Claims 18 and 19 corresponds to the subject matter recited in Claims 11 and 2, respectively. Thus Holtz in view of Martin discloses every limitation of Claims 18 and 19, as indicated in the above rejections for Claims 2 and 11.

*Claim 20. The scroll display control device according to Claim 1, wherein a reproduction time is a time length of said series information (<2240> of fig. 22).*

*Claim 21. The scroll display control device according to Claim 1, wherein said scroll speed is increased if the text quantity increases with respect to said reproduction time and said scroll speed is decreased if the text quantity decreases with respect to said reproduction time ([0136][0270]-[0271][0280]-[0282]).*

Art Unit: 2175

*Claim 22. The scroll display control method according to Claim 14, wherein the changing of the text display setting includes at least one of changing a display reference position of a target text, changing of a text display area size indicative of a height and a width of a text display area, and changing of a display text character size indicative of a height and a width of a text character (<2416> & <2418> of fig. 24; [0283]).*

*Claims 23 and 24:*

The subject matter recited in Claims 23 and 24 corresponds to the subject matter recited in Claim 22. Thus Holtz in view of Martin discloses every limitation of Claims 23 and 24, as indicated in the above rejections for Claim 22.

*Claim 25. The scroll display control device according to Claim 1, wherein the series information is image information or sound information ([0140]).*

*Claim 26. The scroll display control device according to Claim 1, wherein the text quantity of said corresponding text information is an amount of text corresponding to the series information per unit time ([0136][0271]).*

*Claim 27. The scroll display control device according to Claim 1, wherein the text quantity of said corresponding text information is a total number of characters included within said corresponding text information ([0136][0271]).*

*Claim 28. The scroll display control device according to Claim 2, the quantity of the text belonging to the text section corresponding to the series information section is a total number of characters included within the text section ([0136][0271]).*

*Claim 29. The scroll display control device according to Claim 2, wherein the text belonging to the text section corresponds to a picture section currently under reproduction, the picture section having the time length comprising a predetermined set of frames selected from a plurality of frames which make up the series information (figs. 15-19; [0129]-[0131] [0139]-[0144] [0213]-[0228]).*

*Claim 30. The scroll display control device according to Claim 2, wherein text information is divided into a plurality of text sections, each of the plurality of text sections corresponding to at least one of a different speaker and different sentence, and the series information is divided into a plurality of picture sections each having a corresponding time length, each time length having at least one of (1) a duration indicated by a starting time and ending time and (2) a set of frames (figs. 5-22; [0124]-[0142] [0199]-[0226][0272]-[0276]).*

*Claim 31. The scroll display control device according to Claim 30, wherein the plurality of text sections include the text section, a preceding text section which*

Art Unit: 2175

*precedes the text section, and a succeeding text section which succeeds the text section, and the text of the preceding text section and the text of the succeeding text section are respectively displayed simultaneously along with the text section in two adjacent areas across the text section which is displayed at the reference position (figs. 22 & 23A-B).*

### ***Response to Arguments***

2. Applicant's arguments against the rejections based on 35 U.S.C. 102 with respect to Claims 1-31 have been considered but are moot in view of the new grounds of rejection.

### ***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to DAEHO D. SONG whose telephone number is (571)272-7524. The examiner can normally be reached on Mon-Fri 7:30-5:00pm EST.

Art Unit: 2175

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, William Bashore can be reached on 5712724088. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Daeho D Song/

Examiner, Art Unit 2175

/Boris Pesin/

Supervisory Patent Examiner, Art Unit 2174